



**GTI MkV**



# GTI Mk V

base MSRP		\$21,990
	destination & handling	\$630
body	united gray	std
	power sunroof	\$995
transmission	6-speed manual	std
wheels	karthoum dark chrome	\$1,796
	summer performance	std
interior	heated leather	\$895
	gps nav system w/cd/dvd	\$1,800
	iPod(TM) adapter	\$160
	dvd voyager two screens	\$1,645
	dual-zone climatronic	\$895
	standard mats	std
total MSRP as configured		\$27,205
total accessories		\$3,601
total combined		\$30,806



## legaldisclaimers

Another long winded overly explained but totally necessary by law legal disclaimer. Volkswagen of America, Inc. believes the information and specifications in this brochure to be correct at the time of printing. All prices are MSRP in U.S. dollars. Dealer prices may vary. Base MSRP for U.S. 2006 models excludes taxes, title, options, dealer, emissions, & destination charges. Emissions charges may vary by jurisdiction. See dealer for details. Specifications, standard features, options, fabrics, and colors are subject to change without notice. Some features may be unavailable when your vehicle is built. All equipment listed is subject to production-related change or delayed availability. Some vehicles are pictured with options that may be available at extra cost or may not be available on some models. Ask your dealer about the availability of options and verify that the vehicle you ordered includes the equipment you ordered. Please review warranty limitations and exclusions with your dealership representative. Tires are supplied and warranted by their manufacturer. EPA fuel mileages are estimates only. Your fuel consumption may vary. Airbags are supplemental restraints only and will not deploy under all accident circumstances. Always use safety belts and seat children only in the rear, using restraints systems appropriate for their size and age. "Volkswagen," the Volkswagen logo, "GTI" and "DSG" are registered trademarks of Volkswagen AG. "Drivers wanted." and "Side Curtain Protection" are registered trademarks of Volkswagen of America, Inc. "Climatronic" is a trademark of Volkswagen of America, Inc. "Tiptronic" is a registered trademark of Dr. Ing. h.c. F. Porsche AG. XM Satellite Radio is a registered trademark of XM Satellite Radio Inc. (R) Sirius Satellite Radio is a trademark of Sirius Satellite Radio Inc. TM For further information regarding any Volkswagen model, please call 1-800 DRIVE VW or just take a peek at vw.com. (c)2006 Volkswagen of America, Inc. Please don't drink and drive.

### High Performance Tires

High-performance tires are designed for optimum performance and handling in warm climates. They are not suitable for cold, snowy, or icy weather conditions. If you drive under those circumstances, you should equip your vehicle with all-season or winter tires, which offer better traction under those conditions. We suggest you use the recommended winter or all-season tire specified for your car or its equivalent. These high-performance tires also have a lower aspect ratio that aids performance and handling; however, in order to avoid tire, rim or vehicle damage, it is important that the inflation pressure is regularly checked and maintained at optimum levels. Please also remember in making your selection that, while these tires deliver responsive handling, they may ride less comfortably and make more noise than other choices. Finally, these tires may wear more quickly than other choices. For further information on these topics, please consult the owner's manual, your local dealer or call 800 DRIVE VW.

### Winter Tires

The ultrahigh-performance tires on your vehicle were selected for optimal performance under a variety of driving conditions. THESE TIRES ARE NOT SUITED FOR USAGE ON ICE OR SNOW. IT IS NOT POSSIBLE TO USE SNOW CHAINS WITH THESE TIRES AND RIMS.

You must install winter or all-season tires if you may have to drive on ice and snow. The same tires must be installed on all four wheels. To safeguard against damage, and to ensure correct wheel-well clearance with winter or all-season tires, we strongly recommend against using the manufacturer's supplied 18-inch rims during the winter months. You must use the winter or all-season tire that Volkswagen recommends for the GTI, or an equivalent winter or all-season tire of the same size and quality.

While using winter or all-season tires, you should continue to follow the recommended inflation pressures shown on the tire inflation placard, and you must not exceed the maximum cold inflation pressure shown on the sidewall of the winter or all-season tire you choose to install.

## exteriorspecs

roof-mounted amplified flexible black whip diversity antenna	s
roof-mounted 'fin-type' black diversity antenna	o <sup>2</sup>
dual oversized stainless exhaust pipes	s
anti-intrusion side door beams	s
tinted glass, blue	s
black front grille with honeycomb mesh and red surrounding strip	s
high intensity gas-discharge headlamps (xenon) and headlight washer system with clear, lightweight, chip resistant polycarbonate lenses	s
halogen foglights, integrated into front bumper	s
side blinkers integrated into side exterior mirrors	s
driver and passenger side power exterior mirrors, heatable	s
power glass sunroof with tilt, slide, tinted glass, manual sunshade, pinch protection, and driver's door power lock operated convenience closing feature	p
rear spoiler located above rear hatch	s
225/45 r17 h, summer performance tires	s
225/45 r17 h, all-season performance tires	o
225/40 r18 h, summer performance tires	o
205/55 r16 h, space-saving steel spare wheel and all-season tire	s
7j x 17" alloy wheels	s
7.5j x 18" alloy wheels	o
anti-theft wheel locks	s
windshield wipers with variable intermittent wipe feature	s
heatable windshield washer nozzles, front	p

## interiorspecs

manual single-zone climate control (climatic), cfc-free	s
automatic dual-zone climate control (climatronic™). driver and passenger side controls for automatic climate control system, cfc-free	p
anti-theft vehicle alarm system for doors, hood, trunk lid, radio, and starter, with warning led in door top sill and with audible and visual activation	s
immobilizer theft deterrent system	s
cruise control stalk	s
brake wear indicator	s
illumination of controls and gauges—blue, with red indicators	s
multi function trip computer: featuring trip time, trip length, average trip speed, average trip fuel consumption, current fuel consumption, miles to empty, compass, radio station display, personalizing functions	s <sup>1</sup>
folding keys (2) with radio-frequency remote transmitter for central locking, eyelet valet key	s
remote central power locking system with selective unlocking and key operated convenience open and close feature (windows)	s
aluminum interior trim	s
power outlet (sae size) in trunk	s
crash active front head restraints	s
2 power outlets (sae size) in center console	s
premium am/fm radio sound system with in-dash 6-disc cd changer, mp3 format readable, satellite radio compatible, 10 speakers, theft-deterrent warning light and coding system	o <sup>2</sup>

## interiorspecs

6-disc cd changer located in armrest between front seats	p
satellite radio with choice of provider (xm® or sirius™)	o/p
driver and front passenger front airbag supplemental restraint system	s
driver and front passenger side thorax airbag supplemental restraint system	s
side curtain protection®	s
crash active front head restraints	s
emergency locking retractors for all seating positions	s
front seat safety belts pre-tensioners with load limiters	s
height adjustable front 3-point safety belts, color coordinated	s
rear 3-point safety belts, all 3 seating positions, color coordinated	s
latch (lower anchors and top-tether for children. formerly known as isofix)–child seat lower attachment points and top tether rear outboard seating positions	s
child seat tether anchorage points with markings in rear seating positions	s
buckle switch (sensor that deploys airbag depending on safety belt use)	s
interlock feature–center rear safety belts cannot be extended unless seat back is in fully locked position	s
8-way manually adjustable sport front seats: fully reclining, height adjustable with adjustable (height & angle) lockable head restraints	s
top sport front seats	p
lumbar support, 2-way adjustable for driver and front passenger seats	s
lumbar support, 4-way electrically adjustable for driver and front passenger seats	p
heatable front seats	p
rear seat head restraints, height adjustable, all seating positions	s
60/40 split folding rear seat with center armrest and pass-through	s
navigation system with visual and audible commands through color center console display and through multi-function onboard computer display in instrument cluster. replaces in-dash cd changer with single cd/dvd player.	o <sup>2</sup>
3-spoke leather wrapped multi-function sport steering wheel, with audio controls (includes paddle shifters on both sides of steering wheel when equipped with optional 6-speed automatic direct shift gearbox)	s
height adjustable and telescoping steering column	s
steering wheel deformable/collapsible upon impact	s
theft-deterrent steering column	s
alloy pedals	s
chrome interior door handles	s
trunk escape handle-emergency internal release mechanism to unlatch trunk lid. fluorescent reflector for location.	s

## technicalspecs

### engine

type: 4 cylinder, in-line, turbocharged with intercooler and direct fuel injection
displacement: 121.0 in3 1,984 cm <sup>3</sup>
compression ratio: 10.3:1
horsepower (sae) @ rpm: 200 @ 5,100-6,000 (147 kw @ 5,100-6,000)
maximum torque, lbs - ft @ rpm: 207 @ 1,800-5,000 (280 nm @ 1,800-5,000)
fuel requirement: premium unleaded (95 ron) recommended for maximum performance, (unleaded regular (91 ron) as an alternative with slight reduction in performance)

## technical specs

### engine design

arrangement: front mounted, transverse

cylinder block: cast iron

crank shaft: forged steel, five main bearings

cylinder head: aluminum alloy

valve train: dual overhead camshaft, belt driven, four valves per cylinder, maintenance free

hydraulic lifters

fuel / air supply: fully electronic engine management with drive-by-wire throttle control, fsi®

### body, chassis and suspension

type: utilized construction, bolt-on front fenders

front suspension: independent mcpherson struts, coil springs, telescopic shock absorbers,

integrated stabilizer bar (sport suspension)

rear fully independent four-link suspension with coil springs, telescopic shock

absorbers and stabilizer bar

drag coefficient .32

interior volume - sae

seating capacity five

passenger volume 94.2 ft<sup>3</sup> 2.7 m<sup>3</sup>

cargo volume 15.1 ft<sup>3</sup> 0.4 m<sup>3</sup>

	front		rear	
volume	51.3 ft <sup>3</sup>	1.5 m <sup>3</sup>	42.9 ft <sup>3</sup>	1.2 m <sup>3</sup>
head room	39.3 in	998 mm	38.5 in	979 mm
shoulder room	54.7 in	1,390 mm	54.6 in	1,386 mm
leg room	41.2 in	1,046 mm	35.3 in	896 mm

### dimensions

wheelbase 101.5 in 2,578 mm

front track 60.4 in 1,534 mm

rear track 59.7 in 1,516 mm

length 165.8 in 4,210 mm

width 69.3 in 1,759 mm

height 58.4 in 1,484 mm

ground clearance 5.6 in 143 mm

	manual		automatic	
curb weight	3,308 lbs	1,500 kg	3,352 lbs	1,520 kg
front	1,958 lbs	888 kg	2,002 lbs	908 kg
rear	1,349 lbs	612 kg	1,349 lbs	612 kg
payload	1,032 lbs	468 kg	1,032 lbs	468 kg

**fuel consumption** manual automatic

city 23 mpg 25 mpg

highway 32 mpg 31 mpg

fuel tank: 14.5 gal 55.0 l

### drivetrain

front wheel drive

### steering

electro-mechanical variable assisted power rack-and-pinion steering

s

### brakes

abs (anti-lock braking system)—standard, all four wheels, 3-channel with electronic brake pressure distribution, anti-slip regulation (asr) and electronic differential lock (edl), electronic stabilization program

s

## technical specs

### brakes

red front and rear brake calipers	S
ebd—electronic brake-pressure distribution	S
hba—hydraulic brake assistant	S

### traction control

asr—anti-slip regulation	S
edl—electronic differential lock	S
eba—engine braking assist prevents compression-induced skidding in slippery conditions	S
electronic stabilization program	S

### transmission

6-speed manual transmission	S
6-speed automatic direct shift gearbox with tiptronic® and sport mode	O
cable shift mechanism—manual transmission only	S
clutch starter interlock for manual transmission. vehicle will not start if clutch is not depressed.	S
hydraulic clutch for manual transmission	S

## warranty

12 year/unlimited distance limited warranty against corrosion perforation	S
5 year/60,000 mile (whichever occurs first) powertrain limited warranty	S
4 year/50,000 mile (whichever occurs first) new vehicle limited warranty. wear & tear items and adjustments excluded after initial 12 month/12,000 miles (whichever occurs first).	S

## roadside assistance

roadside assistance 4-year/unlimited mileage, 24-hour, provided by road america®	S
--	---

1 with optional navigation system, compass is moved from instrument cluster to the navigation screen

2 obligated with optional navigation system

3 only available in combination with option packages 1 or 2