



**Important!**

Please give copies to all  
your VW Technicians

# Technical Bulletin

**Subject: Engine Oils Which Meet Volkswagen Oil Quality  
Standards VW 502 00 and VW 505 01**

**Group: 17**

**Number: 05-04**

**Model(s): ALL (Requiring Oil Meeting Oil Quality  
Standards VW 502 00 & 505 01)**

**1998 ► 2006**

**Date: Aug. 26, 2005**

## Service

Attached is a "Worldwide" list of oils which currently meet Volkswagen oil quality standard VW 502 00 (see attachment pages 1 - 6) and VW 505 01 (see attachment pages 7 - 8).



### Tip:

***NOT ALL OILS ON THE ATTACHED LIST MAY  
BE AVAILABLE IN NORTH AMERICA.***

*Please refer the specific Vehicle Owner's Manual, published Technical Bulletins and Fluid Capacity Charts to select the appropriate oil required for each Volkswagen vehicle.*

*The attached list can also be found in the Repair Manual under "Additional information" and will be posted on [www.vw.com](http://www.vw.com).*



## Engine oils which currently meet Volkswagen Oil Quality Standard **VW 502 00\***

<b>Manufacturer / Distributor</b>	<b>Description</b>	<b>Viscosity</b>
Audi/VW	part number ZVW 352 540 S	SAE 5W-40
Addinol	Addinol Super light MV0546	SAE 5W-40
Addinol	Addinol Super power MV 0537	SAE 5W-30
Adnoc	Adnoc Image	SAE 5W-40
Agip	Agip Sint Evolution	SAE 5W-40
Agip	Agip Synthetic PC	SAE 5W-40
Agip	Agip Tec sint	SAE 5W-30
Agip	Agip Tec sint SL	SAE 5W-40
AMAG	Gamaparts Gold Synt	SAE 5W-40
Antar	Antar Excellia LDX	SAE 5W-40
AnYe Lubricating Oil	AnYe 1	SAE 5W-40
Aral	Aral HighTronic	SAE 5W-40
Aral	Aral SuperTronic	SAE 0W-40
Autol	Autol Carrera	SAE 5W-40
Bardahl	Bardahl XTC 100% Synthetic Motor Oil	SAE 5W-40
Beijing Tongyi Petroleum	Xin Gai Nian	SAE 5W-40
BP	BP Euro Germany	SAE 5W-40
BP	BP Euro Plus	SAE 5W-40
BP	BP Euro Spirit	SAE 5W-40
BP	BP Visco 5000	SAE 5W-40
BP	BP Visco Sport	SAE 0W-40
Bucher AG	Motorex Xperience FS-X	SAE 5W-40
Bucher AG	Select SP-X	SAE 5W-40
Bucher AG	Xperience FS-X	SAE 0W-40
Carat	Carat ad-Synt-Oil	SAE 5W-40
Carl Bechem	Hessol ADT Plus	SAE 5W-40
Carl Bechem	Staroil Synergie Alpha	SAE 5W-40
Cartechnic	Cartechnic Motorenöl	SAE 5W-40
Castrol	Castrol GTX 7 Dynatec	SAE 5W-40
Castrol	Castrol Performance	SAE 5W-40
Castrol	Castrol Syntec	SAE 5W-40
Castrol	Castrol TXT Softec	SAE 5W-40
Cepsa	Cepsa Star Mega Synthetic	SAE 5W-40
Conoco	Syncon High Performance Synthetic Engine Oil	SAE 5W-40
Coparts	Carl Motorenöl Power	SAE 5W-40
Cyclon Hellas	Cyclon F1 Racing	SAE 5W-40
De Oliebron	Tor Hypersynth	SAE 5W-40

**\*) PLEASE NOTE: NOT ALL OILS LISTED MAY BE AVAILABLE IN NORTH AMERICA**

© 2005 Volkswagen of America, Inc. It has always been Volkswagen's policy to continuously improve its products. Volkswagen, therefore, reserves the right to make changes in design and to make additions or improvements to its products without incurring any obligation to install them on products previously manufactured. Text and specifications in this Supplement are based on information and knowledge available at the time of printing. All rights are Reserved. No Part of this document may be reproduced or translated in whole or in part without the written consent of Volkswagen of America, Inc. Specifications are subject to change without notice. If you are not sure which oil to use, consult with your authorized Volkswagen Service Advisor.



## Engine oils which currently meet Volkswagen Oil Quality Standard **VW 502 00\***

<b>Manufacturer / Distributor</b>	<b>Description</b>	<b>Viscosity</b>
Dongying Xinyi	Xin Yi 1	SAE 5W-40
Duckhams	Duckhams Q Fully Synthetic	SAE 5W-40
Elf	Elf Excellium LDX	SAE 5W-40
ENOC	ENOC Protec X-treme	SAE 5W-40
Esso	Esso Megatron	SAE 5W-40
Esso	Esso Ultron	SAE 5W-40
Esso	Esso Ultron SL	SAE 5W-40
Esso	Motor Oil Plus	SAE 5W-40
Eurol	Eurol Super Lite 5W-40 SL/CF	SAE 5W-40
FAW-Sihuan Petrofer	Huan Ya	SAE 5W-40
Feu Vert	Feu Vert 100% Synthese	SAE 5W-40
Fina	Fina First	SAE 5W-40
Fina	Fina Motortronic RS	SAE 5W-40
FL Selenia	Pulsar S.D.	SAE 5W-40
FL Selenia	Selenia WR	SAE 5W-40
Fortum	Neste City Pro	SAE 0W-40
Fortum	Neste City Pro	SAE 5W-40
Fuchs	Fuchs TITAN Supersyn	SAE 5W-40
Fuchs	Titan Formel MC	SAE 5W-40
Galp energia	Galp Formula 1 Plus	SAE 5W-40
Galp energia	Galp Formula TD Plus	SAE 5W-40
Ginouves	York 848	SAE 5W-40
Goldhand	Budget Motorenöl vollsynthetisch	SAE 5W-40
Gulf	Gulf Formula S	SAE 5W-40
Gulf Oil	Gulf Formula G	SAE 5W-40
Huiles Labo	Labo Carat	SAE 5W-40
Igol	Igol Symbol Ceramic	SAE 5W-40
Igol	Igol Symbol Ceramic	SAE 5W-30
Igol	Process Compact P	SAE 5W-30
INA	INA Futura MB	SAE 5W-30
Ina	Ina Millennium	SAE 5W-40
Kendall Motor Oil	Kendall GT-1 Full Synthetic Motor Oil	SAE 5W-40
Kuttenkeuler	Motorenöl S-Tronic	SAE 5W-40
Liqui Moly	Liqui Moly Leichtlauf HC 7	SAE 5W-40
Liqui Moly	Liqui Moly Longtime High Tech	SAE 5W-30
Liqui Moly	Liqui Moly Profi Synthoil	SAE 5W-40
Liqui Moly	Liqui Moly Synthoil High Tech	SAE 5W-40

**\*) PLEASE NOTE: NOT ALL OILS LISTED MAY BE AVAILABLE IN NORTH AMERICA**

© 2005 Volkswagen of America, Inc. It has always been Volkswagen's policy to continuously improve its products. Volkswagen, therefore, reserves the right to make changes in design and to make additions or improvements to its products without incurring any obligation to install them on products previously manufactured. Text and specifications in this Supplement are based on information and knowledge available at the time of printing. All rights are Reserved. No Part of this document may be reproduced or translated in whole or in part without the written consent of Volkswagen of America, Inc. Specifications are subject to change without notice. If you are not sure which oil to use, consult with your authorized Volkswagen Service Advisor.



## Engine oils which currently meet Volkswagen Oil Quality Standard **VW 502 00\***

<b>Manufacturer / Distributor</b>	<b>Description</b>	<b>Viscosity</b>
Lotos	Lotos Dynamic	SAE 0W-40
Lotos	Lotos Economic	SAE 5W-30
Lotos	Lotos Syntetic SL/SJ/CF/CD	SAE 5W-40
Lotos	Lotos Traffic	SAE 5W-40
Lukoil	Lukoil LUX	SAE 5W-40
Meguin	EMARAT Super Synth	SAE 5W-40
Meguin	megol Motorenoel New Generation	SAE 5W-30
Meguin	megol Motorenoel Super Leichtlauf	SAE 5W-40
Meguin	Motorenoel Low Emission	SAE 5W-40
Meguin	Motorenoel Ultra Performance Longlife	SAE 5W-40
Mitan	Alpine RSL vollsynth.	SAE 0W-40
Mobil	Mobil 1	SAE 0W-40
Mobil	Mobil 1	SAE 5W-40
Mobil	Mobil Special X	SAE 5W-40
Mobil	Mobil Synt S	SAE 5W-40
Mobil	Mobil Syst S	SAE 5W-40
Mogul	Mogul Forte Racing Pro	SAE 5W-40
MOL	MOL Dynamic Star	SAE 5W-40
Morris	Multilife Synthetic	SAE 5W-40
Motul	Motul 6100 X-cess	SAE 5W-40
Motul	Motul 8100 E-tech	SAE 0W-40
Motul	Motul 8100 X-cess	SAE 5W-40
Motul	Motul Synergie	SAE 5W-40
Motul	Motul Synergie Ester +	SAE 0W-40
MRD	Motor Gold Supertec	SAE 5W-40
Nocc	Valar Gema XLL 053	SAE 5W-30
Northland	Synergy Synthetic EuroSyn	SAE 5W-40
Oel-Brack	Midland Avanza	SAE 5W-40
Oel-Brack	Midland Synqron	SAE 5W-30
Oel-Brack M	idland Synqron	SAE 5W-40
Oest	Oest ETA Synthetik	SAE 5W-40
Oktanoil	Mega Full	SAE 5W-40
Ölwerke Julius Schindler	Econo Veritas XL-HC	SAE 5W-40
OMV	OMV full syn	SAE 0W-40
OMV	OMV full syn plus	SAE 5W-30
Panolin	Panolin Indy SV	SAE 5W-40
Paramo	Mogul Racing Pro	SAE 5W-40

**\*) PLEASE NOTE: NOT ALL OILS LISTED MAY BE AVAILABLE IN NORTH AMERICA**

© 2005 Volkswagen of America, Inc. It has always been Volkswagen's policy to continuously improve its products. Volkswagen, therefore, reserves the right to make changes in design and to make additions or improvements to its products without incurring any obligation to install them on products previously manufactured. Text and specifications in this Supplement are based on information and knowledge available at the time of printing. All rights are Reserved. No Part of this document may be reproduced or translated in whole or in part without the written consent of Volkswagen of America, Inc. Specifications are subject to change without notice. If you are not sure which oil to use, consult with your authorized Volkswagen Service Advisor.



## Engine oils which currently meet Volkswagen Oil Quality Standard **VW 502 00\***

<b>Manufacturer / Distributor</b>	<b>Description</b>	<b>Viscosity</b>
Pennzoil	Pennzoil Synthetic European Formula	SAE 5W-40
Pennzoil	Pennzoil European Formula Ultra	SAE 5W-30
Pennzoil	Pennzoil Synthetic European Formula Ultra	SAE 5W-30
Pentosin	Motorenoel Pento High Performance	SAE 5W-40
Pentosin	Pentosynth	SAE 5W-40
Petrobras	Lubrax Sintético	SAE 5W-40
Petrol Ofisi	PO Ultra	SAE 5W-40
Petronas	Petronas Syntium 3000	SAE 5W-40
Petronas	Petronas Syntium 3000 LL	SAE 5W-30
Petronas	Petronas Syntium 3000 S	SAE 5W-40
Petronas	Petronas Syntium 5000 FS	SAE 0W-40
Petronas	Petronas Syntium 900	SAE 5W-40
PetroVRC	Kunlun HTPC	SAE 5W-40
Poweroil High-Tech-Schmierstoffe	HD 5W-40 SL CF Topsynth	SAE 5W-40
Poweroil High-Tech-Schmierstoffe	HD	SAE 0W-40
Profi-Tech	Profi-Car Synth Tech XT	SAE 5W-40
Protech	Meister-Öl-Leichtlauföl	SAE 5W-40
Quaker State	Quaker State European Formula Ultra	SAE 5W-30
Quaker State	Quaker State Full Synthetic European Formula	SAE 5W-40
Quaker State	Quaker State Full synthetic European Formula Ultra	SAE 5W-30
Rafinerija Modrica	Optima Magnum Plus	SAE 0W-40
Ravensberger Schmierstoffvertrieb	Ravenol Hydrocrack Synth. HCS	SAE 5W-40
Ravensberger Schmierstoffvertrieb	Ravenol VSI	SAE 5W-40
Repsol	Repsol Elaion Full Performance	SAE 5W-40
Repsol	Repsol Elite Competición	SAE 5W-40
Repsol	Repsol Elite Cosmos	SAE 0W-40
Rowe	Hightec Synth RS 5W-40 i	SAE 5W-40
Rowe	Hightec Synt-HC 5W-40 i	SAE 5W-40
SCT	Mannol Extreme	SAE 5W-40
Seventy-Six Lubricants	76 Pure Synthetic Motor Oil	SAE 5W-40
Shanghai Oil Refinery	HAIPAI 2293	SAE 5W-40
Shanghai Tempo	Tempo 8000-1A	SAE 5W-40

**\*) PLEASE NOTE: NOT ALL OILS LISTED MAY BE AVAILABLE IN NORTH AMERICA**

© 2005 Volkswagen of America, Inc. It has always been Volkswagen's policy to continuously improve its products. Volkswagen, therefore, reserves the right to make changes in design and to make additions or improvements to its products without incurring any obligation to install them on products previously manufactured. Text and specifications in this Supplement are based on information and knowledge available at the time of printing. All rights are Reserved. No Part of this document may be reproduced or translated in whole or in part without the written consent of Volkswagen of America, Inc. Specifications are subject to change without notice. If you are not sure which oil to use, consult with your authorized Volkswagen Service Advisor.



## Engine oils which currently meet Volkswagen Oil Quality Standard **VW 502 00\***

<b>Manufacturer / Distributor</b>	<b>Description</b>	<b>Viscosity</b>
Shell	Formula Shell Ultra AB	SAE 5W-30
Shell	Shell Helix Ultra AM	SAE 5W-40
Shell	Shell Helix Plus	SAE 5W-30
Shell	Shell Helix Plus	SAE 5W-40
Shell	Shell Helix Plus S	SAE 5W-30
Shell	Shell Helix Plus S	SAE 5W-40
Shell	Shell Helix Premium	SAE 5W-40
Shell	Shell Helix Ultra	SAE 5W-40
Shell	Shell Helix Ultra AB	SAE 5W-30
Shell	Shell Helix Ultra AL	SAE 5W-30
Shell	Shell SL 0914	SAE 5W-40
Sinopec	Polar Star II	SAE 5W-40
SK Corporation	ZIC XQ	SAE 5W-40
Slovnaft	Madit Ultra	SAE 5W-30
Smessindo	Liqtro Enduro Ultra	SAE 5W-40
Spectr-Auto	Polarm	SAE 0W-40
SRS Schmierstoff Vertrieb	Wintershall Primalub topsynth	SAE 5W-40
SRS Schmierstoff Vertrieb	Wintershall ViVA 1 ecosynth	SAE 0W-40
SRS Schmierstoff Vertrieb	Wintershall ViVA 1 Longlife	SAE 5W-30
SRS Schmierstoff Vertrieb	Wintershall ViVA 1 topsynth	SAE 5W-40
SRS Schmierstoff Vertrieb	Wintershall ViVA 1 topsynth alpha	SAE 5W-30
SRS Schmierstoff Vertrieb	Wintershall ViVA 1 topsynth alpha LA	SAE 5W-30
Startol	Synt-XL	SAE 5W-40
Statoil	LazerWay	SAE 5W-40
Statoil	Statoil GT S	SAE 5W-40
Statoil	Statoil LazerWay	SAE 5W-40
Statoil	Statoil Pro Synthetic	SAE 5W-40
SWD	swd Primus HDC	SAE 5W-40
Teboil	Teboil Gold	SAE 5W-40
Texaco	Havoline Ultra	SAE 5W-40
Texaco	Havoline Ultra	SAE 5W-40
Texaco	Texaco Havoline Ultra BM	SAE 5W-30
Top Oil	Top Evolution	SAE 5W-40
Total	Total Activa 9000	SAE 5W-40
Total	Total Quartz 9000	SAE 5W-40
Unicorn	Unicorn Ultra Synt	SAE 5W-40
Unil Opal	Opaljet 24 S	SAE 5W-40

**\*) PLEASE NOTE: NOT ALL OILS LISTED MAY BE AVAILABLE IN NORTH AMERICA**

© 2005 Volkswagen of America, Inc. It has always been Volkswagen's policy to continuously improve its products. Volkswagen, therefore, reserves the right to make changes in design and to make additions or improvements to its products without incurring any obligation to install them on products previously manufactured. Text and specifications in this Supplement are based on information and knowledge available at the time of printing. All rights are Reserved. No Part of this document may be reproduced or translated in whole or in part without the written consent of Volkswagen of America, Inc. Specifications are subject to change without notice. If you are not sure which oil to use, consult with your authorized Volkswagen Service Advisor.



## Engine oils which currently meet Volkswagen Oil Quality Standard **VW 502 00\***

<b>Manufacturer / Distributor</b>	<b>Description</b>	<b>Viscosity</b>
Unil Opal	Opaljet 24S	SAE 5W-40
Valvoline	SynPower	SAE 5W-40
Valvoline	Valvoline DuraBlend MXL	SAE 5W-40
Valvoline	Valvoline SynPower	SAE 5W-30
Valvoline	Valvoline SynPower	SAE 5W-40
Valvoline	Valvoline SynPower motor oil	SAE 0W-40
Valvoline	Valvoline SynPower MXL	SAE 5W-30
Valvoline	Valvoline SynPro motor oil	SAE 0W-40
VAPS	VAPSOIL 502 00	SAE 5W-40
Vial Oil	Consol Ultima	SAE 5W-40
Wako	Wako's 4CT	SAE 5W-40
Wolf	Wolf Masterlube Synflow DC	SAE 5W-40
Würth	Triathlon Sprint	SAE 5W-40
Yacco	Yacco VX 1000	SAE 5W-40
Yacco	Yacco VX 600	SAE 5W-40
YPF	Elaion Plus VWS	SAE 5W-40
YPF	Elaion Sintetico VWS	SAE 5W-40
YPF	YPF Elaion Full Performance	SAE 5W-40
Yukos	U-Tech System	SAE 0W-40
Zeller+Gmelin	Divinol Syntholight	SAE 5W-40

**\*) PLEASE NOTE: NOT ALL OILS LISTED MAY BE AVAILABLE IN NORTH AMERICA**

© 2005 Volkswagen of America, Inc. It has always been Volkswagen's policy to continuously improve its products. Volkswagen, therefore, reserves the right to make changes in design and to make additions or improvements to its products without incurring any obligation to install them on products previously manufactured. Text and specifications in this Supplement are based on information and knowledge available at the time of printing. All rights are Reserved. No Part of this document may be reproduced or translated in whole or in part without the written consent of Volkswagen of America, Inc. Specifications are subject to change without notice. If you are not sure which oil to use, consult with your authorized Volkswagen Service Advisor.



## Engine oils which currently meet Volkswagen Oil Quality Standard **VW 505 01\***

<b>Manufacturer / Distributor</b>	<b>Description</b>	<b>Viscosity</b>
Audi/VW	part number G 052 167 A2	SAE 5W-40
AD Parts	AD SDI	SAE 5W-40
Addinol	Addinol Light MV 0546 PD	SAE 5W-40
Agip	Agip 7004	SAE 5W-40
AMAG	Gamaparts Super LL TDI	SAE 5W-40
Aral	Aral Tronic 431	SAE 5W-40
Avia	AVIA TDi 505.01	SAE 5W-40
Avia	Avia Turbo CFE PD	SAE 5W-40
BP	BP Visco Special V	SAE 5W-40
Bucher AG	Motorex Profile V-XL	SAE 5W-40
Carat	Carat ad-Diesel PD-Oil	SAE 5W-40
Castrol	Adamol Multitop PDI	SAE 5W-40
Castrol	Castrol 505 01	SAE 5W-40
Castrol	Castrol GTD 505 01	SAE 5W-40
Castrol	Castrol TXT 505 01	SAE 5W-40
Cepsa	Cepsa Star TDI synt	SAE 5W-40
Chevron	Havoline 505.01	SAE 5W-40
Delek	Delek IDI	SAE 5W-40
Denicol	Denicol Pro Syn 4	SAE 5W-40
Elf	Elf Excellium DID	SAE 5W-40
Engen Petroleum Ltd.	Engen Formula 505.01	SAE 5W-40
Esso	Esso 505 01	SAE 5W-40
Eurol	Eurol Turbo DI	SAE 5W-40
Fina	Fina Delta 505.01	SAE 5W-40
FL Selenia	Aktual Top Synth	SAE 5W-40
Fuchs	Fuchs TITAN Supersyn Plus	SAE 5W-40
Fuchs	Labo Synth High Tech Synthese	SAE 5W-40
Galp energia	Galp Formula 505	SAE 5W-40
Galp energia	Galp Formula TD 505	SAE 5W-40
Gedol	Champ	SAE 5W-40
Ginouves	York 742	SAE 5W-40
Gulf	Gulf GDI Extra	SAE 5W-40
Igol	Igol Process 505.01	SAE 5W-40
Ina	INA 505.01	SAE 5W-40
IP	IP Sintiax 505	SAE 5W-40
Kuwait Petroleum	Q8 Motoroil 505 01	SAE 5W-40
Liqui Moly	Liqui Moly Diesel High Tech	SAE 5W-40
Mapetrol	Mapetrol 505 01	SAE 5W-40

**\*) PLEASE NOTE: NOT ALL OILS LISTED MAY BE AVAILABLE IN NORTH AMERICA**

© 2005 Volkswagen of America, Inc. It has always been Volkswagen's policy to continuously improve its products. Volkswagen, therefore, reserves the right to make changes in design and to make additions or improvements to its products without incurring any obligation to install them on products previously manufactured. Text and specifications in this Supplement are based on information and knowledge available at the time of printing. All rights are Reserved. No Part of this document may be reproduced or translated in whole or in part without the written consent of Volkswagen of America, Inc. Specifications are subject to change without notice. If you are not sure which oil to use, consult with your authorized Volkswagen Service Advisor.





# Engine oils which currently meet Volkswagen Oil Quality Standard **VW 505 01\***

<b>Manufacturer / Distributor</b>	<b>Description</b>	<b>Viscosity</b>
Meguin	megol Motorenoel Super Leichtlauf Technology	SAE 5W-40
Minerva-Oil	TSH 5W-40 505.01	SAE 5W-40
Mitan	Alpine PD Pumpe Düse	SAE 5W-40
Mobil	Mobil Synt S Special V	SAE 5W-40
Mobil	Mobil Syst S Special V	SAE 5W-40
Mogul	Mogul Forte Racing S	SAE 5W-40
MOL	MOL Dynamic Synt	SAE 5W-40
Motul	Motul Specific 505.01	SAE 5W-40
MRD	Motor Gold Supertec PD	SAE 5W-40
Oel-Brack	Midland Axcept	SAE 5W-40
Oest	Oest Leichtlauföl 505.01	SAE 5W-40
OMV	OMV syn com diesel	SAE 5W-40
Panolin	Panolin Daytona	SAE 5W-40
Pentosin	Pentosynth 5W-40 TS*	SAE 5W-40
Poweroil High-Tech-Schmierstof	HD SL CF PD Pumpe/Düse Synth.	SAE 5W-40
Quaker State	Quaker State Diesel Plus	SAE 5W-40
Rafinerija Modrica	Optima 505 01	SAE 5W-40
Ravensberger Schmierstoffvertri	Ravenol VPD	SAE 5W-40
Rothen Oil	Rothen Extrasint	SAE 5W-40
Shell	Shell Helix Diesel Plus VA	SAE 5W-40
Sinopec	Blue Spirit	SAE 5W-40
Slovnaft	Madit 505 01	SAE 5W-40
SRS Schmierstoff Vertrieb	Wintershall Leichtlauf-Motorenöl PD	SAE 5W-40
Startol	RASANTA SPECIALSYNT	SAE 5W-40
Statoil	Statoil SuperWay 505.01	SAE 5W-40
Sunoco	Sunoco Ultra semi synthetic	SAE 5W-40
SWD	Concep-Tech Synth.	SAE 5W-40
SWD	swd Primus Synth.	SAE 5W-40
Texaco	Texaco Havoline 505.01	SAE 5W-40
Total	Total Quartz 505.01	SAE 5W-40
Unil Opal	Opaljet 505.01	SAE 5W-40
Valvoline	Valvoline DuraBlend Diesel motor oil	SAE 5W-40
VAPS	VAPSOIL 505 01	SAE 5W-40
Westfalen AG	Westfalen Megatron	SAE 5W-40
Wolf	Wolf Masterlube Synflow PI	SAE 5W-40
Würth	Triathlon Special PD	SAE 5W-40
Yacco	Yacco VX 505	SAE 5W-40
YPF	YPF Elaion Full Performance TDI	SAE 5W-40

**\*) PLEASE NOTE: NOT ALL OILS LISTED MAY BE AVAILABLE IN NORTH AMERICA**

© 2005 Volkswagen of America, Inc. It has always been Volkswagen's policy to continuously improve its products. Volkswagen, therefore, reserves the right to make changes in design and to make additions or improvements to its products without incurring any obligation to install them on products previously manufactured. Text and specifications in this Supplement are based on information and knowledge available at the time of printing. All rights are Reserved. No Part of this document may be reproduced or translated in whole or in part without the written consent of Volkswagen of America, Inc. Specifications are subject to change without notice. If you are not sure which oil to use, consult with your authorized Volkswagen Service Advisor.